

Your Nearest Dealer:



Head office Thailand :  
The Cool Company Limited  
88/88 Moo 7, Bangna - Trad Road, Km. 26  
Bang Bo, Samutprakarn 10560 Thailand  
Tel: +66 (0) 2181 8888  
Fax: +66 (0) 2181 8118

Branch office Malaysia :  
The Cool (Malaysia) Sdn.Bhd.  
No.6,Jalan Anggerik Mokara 31/51,  
Kota Kamuning,40460 Shah Alam,  
Selangor, Malaysia  
Tel: +603 5121 0913,5121 2790  
Fax: +603 5121 0640

Branch Office Vietnam :  
The Cool Vietnam Company Limited  
No 1/15 D3 Street, Ward 25,Binh Thanh District,  
Ho Chi Minh City, Vietnam.  
Tel: +848 6258 3246  
Fax: +848 6258 3257

Branch Office Philippines :  
The Cool Philippines Inc.  
Lot 11-A-4, Eusebio St.,Brgy. San Miguel,  
Pasig City, Metro Manila, The Philippines  
Tel: +63-916-488-7856  
Philippines HP: +63 90 62139805



Branch office Indonesia :  
PT.The Cool (Indonesia)  
Head Office :  
Jl. Mandala Raya No. 20C, Tomang  
Jakarta Barat 11440, Indonesia  
Tel : +6221 5695 7812  
Fax: +6221 5695 7813

Warehouse :  
Jalan Raya Perancis No.68, Benda  
Benda, Tangerang-Banten 15125 Indonesia  
Tel: +6221 5591 0707  
Fax: +6221 5591 0773

Email : Sales.id@coolinspired.com  
website : www.coolinspired.com

Disclaimer:  
All information/measurement/datas etc. given in this catalogue are based on the best knowledge at the time of writing. The Cool cannot be held responsible for any missing or false information given in this document. The Cool holds no responsibility for any damage or injuries caused by the use of this document. The Cool reserves the right to change specification or data without any prior notice.

# Our company

welcome to The Cool Group, one of the most renowned manufacturer, importer, and service provider of commercial Freezers and coolers in Asia Pacific. We provide a full range of icecream & supermarket freezers, Eutectic system, insulated boxes, bottle coolers and other refrigerated cabinets for food & beverage industry. With our determination to provide the highest quality products and the best service to fulfill customer satisfaction, The Cool team is proud to be who we are today.

With the philosophy of "successful together", The Cool is dedicated to provide the customers ease and effectiveness in their business operation.

The Cool was founded in 2001 (formerly named AHT (Asia) Co., Ltd.). We were awarded Thailand best Sme company (1st prize - under the previous name) in the year 2006 for our achievement after six years of dedication. Recently, we were awarded again "Thailand Most Admirable SME Company" for year 2009 performance under our new name.

Our production facility is accredited with ISO9001 : 2008 certification in the month of April 2010. With technical expertise in product development and Quality control, The Cool Manufacturing is confident and ready to produce any special products upon customer requirement on the basis of environmental responsibility. Currently, we are in OEM and Distribution collaboration with Mondair - Framec, Italy to produce and distribute some premium models for Asia Pacific region.

Our after-sales service operation is provided by one of our affiliated companies, The Cool Service. The Company has a full coverage network all over Thailand with 18 branches location. Our service team can efficiently reach and troubleshoot the broken units anywhere within an agreed period.

The Cool Group is keen to expand our service operation throughout Asia Pacific. The Cool (Malaysia) Sdn. Bhd has been in operation since December 2008. PT. the Cool (Indonesia) is officially serving customers from December 2009, The Cool (Vietnam) is officially start serving customers from April 2011, The Cool (Philippines) has started its operation since January 2012.



"Heart to Heart" service  
"Second to None" product quality.  
"Life Long" friendship



## The Cool Group Network

- Thailand
- Malaysia
- Indonesia
- Vietnam
- Pakistan
- Philippines

- Distribution Network**
- Philippines
  - Korea
  - Srilanka
  - Australia
  - New Zealand
  - Singapore
  - Japan
  - Taiwan
  - Brunei
  - Laos
  - Cambodia
  - Hong kong & Macau



**Head office Thailand :**  
The Cool Company Limited  
193/53 14th Floor, Lake Rajada Office Complex,  
Ratchadapisek Road, Klongteoy, Bangkok 10110 Thailand  
Tel: +66 (0) 2661 8888  
Fax: +66 (0) 2661 8822  
(Plan to move to new larger office in Midyear 2012)



**Malaysia :**  
The Cool (Malaysia) Sdn. Bhd.  
No.6, Jin Anggerik Mokara 31/51, Kota Kamuning  
40460 Shah Alam, Selangor, Malaysia  
Tel: + 603 5121 0913, 5121 0914  
Fax: + 603 5121 0640



**Factory : Thailand**  
The Cool Manufacturing Company Limited  
99/99 Moo 3, Soi Watsaohongklang, Bangna - Trad Hwy Km.23,  
Bangsaohong, Samutprakarn 10540 Thailand  
Tel: +66 (0) 2740 1444  
Fax: +66 (0) 2740 171



**Indonesia :**  
PT. The Cool  
Bandara Benda Permai Blok A No.7  
Jalan Raya perancis No. 68 Tanerang 15125 Indonesia  
Tel: +6221 5591 0707  
Fax: +6221 5591 0773



**Service Center: Thailand**  
The Cool Service Company Limited  
94, 96 Yenjit Road, Thungwatdon, Sathon, Bangkok  
10120 Thailand  
Tel: +66 (0) 2673 0088  
Fax: +66 (0) 2672 5757



**Vietnam:**  
The Cool Vietnam  
No 1/15 D3 Street, Ward 25, Binh Thanh District,  
Ho Chi Minh City, Vietnam.  
Tel: (+848) 6258 3246  
Fax: (+848) 6258 3257

## Gelato Cabinet



	SP 12	SP 16	SP 18	SP 20	SP 24	Dual Temp	RUMBA 10 T LUX	RUMBA 13 T LUX	J7 EXTRA	J9 EXTRA
Dimension mm	1148x1062x1392	1508x1062x1392	1678x1062x1392	1848x1062x1392	2188x1062x1392	2188x1062x1392	1357x926x1280	1750x926x1280	1341x723x1224	1656x723x1224
Capacity 5ltr inax tray	12	16	18	20	24	-	10	13	7	9
Temperature oc	-14 to -16	-14 to -16	-14 to -16	-14 to -16	-14 to -16	-14 to -16	-15 to -20	-15 to -20	-15 to -20	-15 to -20
Climate Class	4+	4+	4+	4+	4+	4+	4+	4+	4	4
Gross weight Kg	235	303	330	348	437	470	190	220	162	193

## Stainless Steel Kitchen Cabinet



	N600L1, -F / P600L1, -F N600L2, -F / P600L2, -F	N1000L2, -F / P1000L2, -F N1000L3, -F / P1000L3, -F N1000L4, -F / P1000L4, -F	N1300L2, -F / P1300L2, -F N1300L3, -F / P1300L3, -F N1300L4, -F / P1300L4, -F	N1600L3, -F / P1600L3, -F N1600L6, -F / P1600L6, -F
Dimension (WxDxH) mm	740 x 765 x 2120	1170 x 765 x 2120	1466 x 765 x 2120	1748 x 765 x 2120
Capacity (F = fan) liters	600 / 580 (for F version)	1000 / 970* (for F version)	1300 / 1260* (for F version)	1600 / 1550* (for F version)
Temperature for freezer model oc	-15 to -22 (N series)	-15 to -22 (N series)	-15 to -22 (N series)	-15 to -22 (N series)
Temperature for chiller model oc	0 to 10 (P series)	0 to 10 (P series)	0 to 10 (P series)	0 to 10 (P series)
Climate class	4	4	4	4
Gross weight Kg	114	145	188	225



	TN380W2, -F / TN380W2B, -F TP380W2, -F / TP380W2B, -F	TP500W2, -F / TP500W2B, -F TN500W2, -F / TN500W2B, -F
Dimension (WxDxH) mm	1500x760x800 / 1500x760x950	1801x760x800 / 1801x760x950
Capacity (F = fan) liters	330 / 320 (for F version)	440 / 420 (for F version)
Temperature for freezer model oc	-12 to -18 (TN series)	-12 to -18 (TN series)
Temperature for chiller model oc	0 to 10 (TP series)	0 to 10 (TP series)
Climate class	4	4
Gross weight Kg	95 / 98	141 / 145

## Deep freezer & Eutectic Pac



Model	U-Pac 0.5 Kg	U-Pac 2.2Kg	U-Pac 5.0 Kg
Product weight Kg	0.5	2.2	5.0
Packing dimension mm	80x207x35	203x300x30	410x305x37
Packing Packs/Carton	40	12	5
Freezing temperature °c	0,-3,-23,-26,-28,-30	0,-3,-23,-26,-28,-30	0,-3,-23,-26,-28,-30

Model	Icetech 0.5 Kg	Icetech 2.2Kg	Icetech 5.0 Kg
Product weight Kg	0.5	2.2	5.0
Packing dimension mm	80x207x35	203x300x30	410x305x37
Packing Packs/Carton	40	12	5
Freezing temperature °c	0,-3,-23,-26,-28,-30	0,-3,-23,-26,-28,-30	0,-3,-23,-26,-28,-30

	DF-2C	DF-160.2	DF-160.7	DF-90
Number of shelves / trays pcs	10 / 9 (perChamber)	21/20	23/20	13/12
U-Pac 5 Kg pcs /tray	2 (+3 x0.5Kg U-PAC)	2	2	2
U-Pac 2.2 Kg pcs /tray	4 (+2 x0.5Kg U-PAC)	4	4	4
U-pac 0.5 Kg pcs /tray	19	17	17	17
Shell spacing mm	51.5	56	51.5	58
Range of inside temperature °c	-20 to -42	-20 to -42	-20 to -42	-20 to -42
External dimension (WxDxH) mm	670 x 920 x 2031	670 x 870 x 2030	670 x 870 x 2030	670 x 870 x 1465
Insulation thickness mm	80	80	80	80



## Ice cream Freezer

### Luxury Flat Glass Door, Step Botom



### Curved Glass Door



Natalie

		Tiara XS - 276LX	Tiara XS - 326LX
Dimension	mm.	1070x600x802	1234x600x802
Gross/ Net Capacity	litres	276/ 256	326/ 306
Temperature	°c	-18	-18
Climate Class		class4/30°c	class4/30°c
Insulation Thickness	mm	72	72

		Tiara XS - 248Y	Tiara XS - 328Y
Dimension	mm.	1033x620x869	1234x620x869
Capacity	litres	248/ 248	328/ 328
Temperature	°c	-18	-18
Climate Class		class4/30°c	class4/30°c
Insulation Thickness	mm	70	70

		Natalie 150	Natalie 200
Dimension	mm.	1475x757x837	2000x757x818
Capacity	litres	500	700
Temperature	°c	-18 to -25	-18
Climate Class		4	4
Gross weight	Kg	95	107



		ANNA-Y240S	ANNA-Y340S	ANNA 2C-A190H	ANNA2C-A190S	ANNA2C-A220H	ANNA2C-A220S	ANNA2C-A260H	ANNA2C-A260S	ANNA2C-SA320H	ANNA2C-SA320S
Dimension	mm.	1080x636x847	1296x600x910	1020x569x910	1140x569x910	1140x569x910	1280x569x910	1280x569x910	1310x659x930	1310x659x930	1310x659x930
Capacity	litres	238	338	190	218	218	258	258	318	318	318
Temperature	°c	-18 to -26	-18 to -26	0 to 10 / -15 to -20	0 to 10 / -15 to -20	0 to 10 / -15 to -20	0 to 10 / -15 to -20	0 to 10 / -15 to -20	0 to 10 / -15 to -20	0 to 10 / -15 to -20	0 to 10 / -15 to -20
Climate Class		4+	4+	4+	4+	4+	4+	4+	4+	4+	4+
Gross weight	Kg	68	85	67	73	79	79	79	95	95	95

		Silvia - 570
Dimension	mm.	1750x800x810
Capacity	litres	570
Temperature	°c	-18 to -20
Climate Class		30 C / 55% RH
Weight Net/ Gross		101 / 123 kg



		Max 100H	Max 125H	Magic 100HJ	Max 100S	Max 125S	Magic 100S
Dimension	mm.	1000x650x880	1250x650x880	1000x650x880	1000x650x880	1250x650x880	1000x650x880
Capacity	litres	262	352	262	238	322	238
Temperature	°c	-14 to -23	-14 to -23	-18 to -30	-14 to -23	-14 to -23	-18 to -30
Climate Class		4+	4+	4+	4+	4+	4+

## Upright Freezer

## Upright Cooler



		Expo 360 NST	Expo 430 NV	Expo 500 NV	Expo 1100 NV	F520
Dimension	mm.	668x685x1990	668x685x1990	668x765x1990	1346x765x1990	720x695x2150
Capacity	litres	403	403	470	1047	518
Temperature	°c	-18 to -25	-18 to -25	-18 to -25	-18 to -25	-4 to -12
Climate Class		4+	4+	4+	4+	4+
Gross weight	Kg	144	142	162	318	146

		Expo 500PT	Snowbeer
Dimension	mm.	668x685x1990	650x650x1840
Capacity	litres	472	-
Temperature	°c	2 to 8	0 to -7
Climate Class		4	-
Weight	Kg	118 (gross)	120 (net)

## Upright Cooler



		CC 250 F	CC 300 F	CC 350 F	CC 400 F
Dimension	mm.	560x615x1750	620x615x1850	620x615x2000	660x615x2000
Capacity	litres	208	268	308	348
Temperature	°c	0 to 7	0 to 7	0 to 7	0 to 7
Climate Class		4	4	4	4
Gross weight	Kg	78	90	97	105

		CC 650 M2F	CC 850 M2F
Dimension	mm.	1080x615x2150	1220x695x2150
Capacity	litres	608	818
Temperature	°c	0 to 7	0 to 7
Climate Class		4	4
Gross weight	Kg	142	158



		SC-178	SC-218	SC-258	SC-348P	SC-398	SC-438
Dimension	mm.	495x530x1666	540x530x1666	540x570x1806	595x580x2097	698x580x1955	698x620x1955
Capacity	litres	178	218	258	348	398	438
Temperature	°c	0 to 10	0 to 10	0 to 10	0 to 10	0 to 10	0 to 10
Climate Class		4+	4+	4+	4+	4+	4+
Gross weight	Kg	60	66	71	85	96	103

		Alex -2P	Alex -3P	Alex -2P Extra	Alex -3P Extra
Dimension	mm.	1100x650x2000	1645x650x2000	1155x750x2050	1740x750x2050
Capacity	litres	850	1388	1034	1546
Temperature	°c	2 to 6	2 to 6	2 to 6	2 to 6
Climate Class		4+	4+	4+	4+
Gross weight	Kg	170 (net)	195 (net)	180 (net)	205 (net)

## Ice cream Stock Freezer



		Prima 108	Prima 150	Prima 200	Prima 280	Prima 320	Prima 420	Prima 650	Prima 710.1
Dimension	mm.	616x506x830	735x540x826	800x540x826	1080x600x826	1160x600x826	1356x670x825	1930x670x825	1895x650x998
Capacity	litres	108	150	200	280	320	420	650	711
Temperature	°c	-18	-18	-18	-18	-18	-18	-18	-20 to -25
Climate Class		class3/25°c	class3/25°c	class3/25°c	class3/25°c	class3/25°c	class3/25°c	class3/25°c	4
Gross weight	Kg	36	39	41	51	54	76	98	130

## Counter Top Freezer

## Promotion Freezer



		Crystal-50	Crystal-90	CT 65 NC	Paola-77N
Dimension	mm.	570x530x520	610x540x670	510x470x830	830x0569
Capacity	litres	50	90	52	77
Temperature	°c	-18	-18	-18 to -25	-18
Climate Class		3	3	3	3
Energy consumption (Kwh/24h)		1.8	4.1	1.8	0.8



		Prima 208 SG	Rena 820	Rena 1020	Rena T-400	Rena T-250	IBM 105F	IBM 150F	IBP 200F
Dimension	mm.	865x549x825	2220x815x9900	2680x815x9900	1349x802x945	1110x802x830	1150x571x590	997x628x670	630x1030x560
Capacity	litres	200	820	1020	398	250	105	150	191
Temperature	°c	-12	-18 to -26	-18 to -26	-40 to -42	-40 to -42	-13 to -18	-13 to -18	-
Climate Class		4	4	4	4	4	7(35°c/75%RH)	7(35°c/75%RH)	-
Gross weight	Kg	46	158	185	86	66	77	82	30

## Drink Showcase



Color  
Color  
Color  
Color

OP mini PET	
Dimension mm.	462x518x1231
Capacity upper	40 (240ml can)
Capacity mid	24 (600ml can)
Capacity lower shelves	24 (600ml can)
Temperature	2 to 12
Climate class	3
Gross weight	Kg. 61



	MOLLY-450	MOLLY-650
Dimension mm.	1536x936x760	2036x960x760
Capacity litres	450	650
Temperature °c	-5 to 5	-5 to 5
Climate Class	4	4
Gross weight Kg	124	156

	Krystin - T1	Krystin - T2	Krystin - T3
Dimension mm.	700x700x1980	920x840x1980	1220x840x1980
Capacity litres	280	370	510
Temperature °c	2 to 7	2 to 7	2 to 7
Climate Class	3	3	3
Gross weight Kg	160	220	250

	Krystin - B2
Dimension mm.	700x700x1420
Capacity litres	90
Temperature °c	2 to 7
Climate Class	3
Gross weight Kg	130



	Mellow MZ3N	Mellow MZ3N
Dimension mm.	740x752x1085	740x752x1085
Capacity litres	93	93
Temperature °c	-18 to -20	-18 to -20
Climate Class	30C / 55% RH	30C / 55% RH
Gross weight Kg	85	85

Unique ventilation passage for every shelf to ensure even temperature distribution  
T5 lighting enabling best display effect  
Accurate automatic defrost control  
Night curtain ensuring long, stable temperature and energy saving  
Defrost with heating pipes



	Lucy - 58L	Lucy - 58L - 2	Lucy - 68L	Lucy - 68L - 2	Lucy - 58L (1R)	Lucy - 58L (2R)	Lucy - 78L (1R)	Lucy - 78L (2R)	Lucy - 98L (1R)	Lucy - 98L (2R)
Dimension mm.	428x386x810	428x386x925	428x386x885	428x386x1000	425x404x830	429x425x830	429x404x980	429x425x980	425x404x1080	429x425x1080
Capacity - Gross litres	58	58	68	68	61	63	82	86	96	98
Temperature °c	0 to 12	0 to 12	0 to 12	0 to 12	0 to 12	0 to 12	0 to 12	0 to 12	0 to 12	0 to 12
Climate Class	N	N	N	N	N	N	N	N	N	N
Gross weight Kg	32	33	35	36	34.5	35.5	38.5	39	41	41.5
Door Type	Single	Single	Single	Single	Single	Double	Single	Double	Single	Double

## Can Cooler & Back Bar



	Paola-160P	Paola-77P	Paola-80P
Dimension mm.	965x813x483	830x569	1076x545
Capacity litres	142	74	78
Temperature °c	0 to 10	0 to 10	0 to 10
Climate Class	3	3	3
Number of can (355ml)	144	78	84

	April-20	April-25/-25D	April-C56	April-60
Dimension mm.	356x406x475	332x412x615	432x496x746	432x496x650
Capacity litres	22	25	56	67
Temperature °c	2 to 8	2 to 8	2 to 8	2 to 8
Climate Class	3	3	3	3
Number of can (330ml)	18	20	45	55



	ISAAC-120	ISAAC-190	ISAAC-S190	ISAAC-290	ISAAC-S290
Dimension mm.	600x900x520	900x900x520	900x900x515	1355x900x520	1355x900x515
Capacity litres	118	188	188	288	288
Temperature °c	0 to 10	0 to 10	0 to 10	0 to 10	0 to 10
Climate Class	3	3	3	3	3
Number of Bottle	152	248	248	396	396

	XR-50C	April-42
Dimension mm.	449x470x501	600x525x421
Capacity litres	48	42
Temperature °c	0 to 10	6 to 20
Climate Class	3	3
Number of can (330 ml)	(Cake / Chocolate)	(Cake / Chocolate)

## Chocolate showcase



	April-42
Dimension mm.	600x525x421
Capacity litres	42
Temperature °c	6 to 20
Climate Class	3
Number of can (330 ml)	(Cake / Chocolate)

## Supermarket Cabinet



\* R290 environmental friendly refrigerant available  
\* Superior product visibility  
\* Excellent energy saving  
\* Auto defrost system  
\* Low heat emission at cabinet's well

- Maintenance free condensing system.  
- Water outlet cap inside for easier cleaning.  
- White pre-painted non-toxic steel sheet for inner tank and external cabinet.

	Irene 185	Irene 210	Irene 250
Dimension mm.	1856x862x852	2105x862x852	2505x862x852
Capacity litres	800	950	1155
Temperature °c	-18 to -25	-18 to -25	-18 to -25
Climate Class	3/4	3/4	3/4
Gross weight kg	161	184	202

	VT 150	VT 200	VT 250
Dimension mm.	1558x978x753	2058x978x753	2558x978x753
Capacity litres	529	753	976
Temperature °c	-18 to -25	-18 to -25	-18 to -25
Climate Class	4	4	4
Gross weight kg	116	151	185

## Serve Over Counter



	100 TG	150 TG	200 TG	250 TG	300 TG
Dimension DxD=898x1262					
Width: W mm	1040	1520	2000	2480	2960
Capacity litres	120	249	332	415	498
Temperature °c	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8
Climate class	3	3	3	3	3
Gross weight kg	125	150	180	220	260

	100 SS	150 SS	200 SS	250 SS	300 SS
Dimension DxD=900x887					
Width: W mm	1040	1520	2000	2480	2960
Capacity litres	120	249	332	415	498
Temperature °c	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8
Climate class	3	3	3	3	3
Gross weight kg	118	140	168	205	245

	100 TGP	150 TGP	200 TGP	250 TGP	300 TGP	350 TGP	400 TGP
Dimension DxD=1140x1300							
Width: W mm	1060	1540	2020	2500	2980	3700	3940
Capacity litres	182	274	365	456	547	703	794
Temperature °c	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8
Climate class	3	3	3	3	3	3	3
Gross weight kg	130	170	210	250	285	320	420

	100 SSP	150 SSP	200 SSP	250 SSP	300 SSP	350 SSP	400 SSP
Dimension DxD=1140x920							
Width: W mm	1060	1540	2020	2500	2980	3700	3940
Capacity litres	182	274	365	456	547	703	794
Temperature °c	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8	0 to 8
Climate class	3	3	3	3	3	3	3
Gross weight kg	121	160	201	241	270	307	402

	Betty 6SG/6FG/6LB	8SG/8FG/8LB	12SG/12FG/12LB
Dimension mm.	1830x1200x1200	2440x1200x1200	3660x1200x1200
Capacity litres	260	380	520
Temperature °c	0 to 7	0 to 7	0 to 7
Climate Class	3	3	3
Gross weight kg	160/195/195	260/300/300	320/370/370
	Betty 6SS	8SS	12SS
Dimension mm.	1830x1200x905	2440x1200x905	3660x1200x905
Capacity litres	280	380	570
Temperature °c	0 to 4	0 to 4	0 to 4
Climate Class	3	3	3
Gross weight kg	220	280	310



## Multi-deck Cabinet



	EMILIA	Meat version	CARNE 93	CARNE 125	CARNE 187	CARNE 250
		Dairy version	S/L 93	S/L 125	S/L 187	S/L 250
		Fruit version	F/V 93	F/V 125	F/V 187	F/V 250
Dimension DxD=888x1991						
Width: W mm	997	1310	1935	2560		
Capacity litres	636	836	1234	1633		
Temperature (CARNE series) °c	0 to 2	0 to 2	0 to 2	0 to 2		
Temperature (S/L series) °c	3 to 5	3 to 5	3 to 5	3 to 5		
Temperature (F/V series) °c	6 to 8	6 to 8	6 to 8	6 to 8		
Climate class	3	3	3	3		
Net weight kg	180	240	300	400		



	Elisa-1P3	Elisa-1P5	Elisa-1P6
Dimension mm.	960x865x2000	1600x865x2000	1910x865x2000
Capacity litres	580	900	1150
Temperature °c	2 to 10	2 to 10	2 to 10
Climate class	3	3	3
weight kg	180	230	300

	Amory 70	Amory 100	Amory 135	Amory 200	Amory 260
Dimension mm.	700x700x2055	1010x700x2055	1350x700x2055	1995x700x2055	2580x700x2055
Capacity net litres	200	302	403	605	806
Temperature °c	2 to 7	2 to 7	2 to 7	2 to 7	2 to 7
Climate class	ST	ST	ST	ST	ST
Weight kg	123	180	220	290	445